

# Shaws for Sheds


## Delivered & Erected Dip Treated Sheds Price List




*Sheds*



*Tool Tidys & Kennels*



*Summerhouses*



*Playhouses*

*April 2015*


*Quality Timber Products*



All prices include VAT



# Welcome



*Shaws for Sheds* was set up in the year 2000 and is a family run business.

We pride ourselves on quality and care on every product made and have a wide variety of buildings listed in this brochure to suit all needs, whether it's for storing or general everyday use.

However, if you don't find what you are looking for, we can also look to manufacture a building to a customer's own requirements.

All our products are manufactured using quality material and all staff are fully qualified in the making of garden buildings.

All our buildings are pre-treated in a water based solution; however we recommend that you treat them again immediately after erection and yearly thereafter. As wood is a natural product some expansion and shrinkage can occur. This is not something we can prevent.

We also use a polyester felt which is a better product than the standard shed felt; however, this does not guarantee we can prevent any damages due to adverse weather conditions.


To ensure all products are fulfilling customers needs, we are constantly reviewing our models and prices and reserve the right to change specifications without notice.

## Base preparation

When buying any garden building, it is necessary to construct a base for your building to be erected onto. This does not need to be elaborate as long as it is level and firm. This can be done by:


### Slabbed Base

If using concrete slabs then sand would need to be laid down first onto firm ground. The slabs would then need to be bedded into the sand making sure that they are laid level.



### Floor Bearers


These are tanalised treated timber of 3 x 3, which would be laid under the building in the opposite direction to the floor joist. This enables a building to be lifted off the ground so it is away from any surface water and allows air underneath your building.



On any apex and pent shed the quantity of windows would vary depending on door position and door size. Both apex and pent models can be supplied with no windows.



# Sheds



Size	Bramley Page 4 Apex	Maltby Page 5 Pent	Solar Page 3 Pent	Wentworth Page 5 Apex Pent	Mobility Page 6 Apex Pent	Security Page 6 Apex Pent	Belton Page 8 Apex Pent
4X4	305	320	-	380	470 520	400 450	- -
6X4	335	370	495	430	535 575	460 510	405 440
6X5	365	400	525	460	575 610	510 550	- -
7X5	385	435	560	505	630 660	560 595	450 485
6X6	420	465	590	530	660 710	590 640	475 515
8X6	445	480	615	550	680 735	615 670	520 540
10X6	565	585	740	660	810 850	750 790	645 670
12X6	665	690	865	790	930 1025	870 955	725 760
8X8	620	650	785	760	890 965	820 900	680 710
10X8	755	775	930	870	1010 1050	945 990	820 840
12X8	870	890	1065	1000	1155 1200	1095 1130	980 1020

Size	Rockingham Workshop Page 4	Potting Shed Page 8
6x6	530	705
8x6	565	760
10x6	680	890
12x6	790	-
8x8	760	980
10x8	870	1100
12x8	1000	-

Size	The Hobby Page 9
5x7	515
6x6	515
8x6	590
8x8	705
10x6	745
10x8	870
12x8	1000

Size	Multi Page 19
6x6	615
8x6	685
10x6	840
12x6	970
8x8	795
10x8	970
12x8	1095

Chicken Coop	
Page 23	
6 X 4 Hen House	420

Log Store	
Page 23	
5 x 2'6 Log Store	250
6 x 2'6 Log Store	270

Heavy Duty Buildings (2 x 2 Frame) Apex & Pent Page 7					
Size		Size		Size	
10x8	1000	10x10	1235	10x12	1605
12x8	1190	12x10	1345	12x12	1720
14x8	1315	14x10	1500	14x12	1910
16x8	1445	16x10	1640	16x12	2290
18x8	1565	18x10	1975	18x12	2580
20x8	1800	20x10	2055	20x12	2860
22x8	1915	22x10	2185	22x12	3140
24x8	2055	24x10	2345	24x12	3435
30x8	2615	30x10	3130	30x12	4580

Kennels & Storage Pages 10-13	
6 x 2'6 Tool Tidy	270
5 x 3 Tool Safe	250
5 x 2 Storage Box	245
3 x 2 Kennel	90
4 x 3 Kennel	135
5 x 4 Dog Hut	305
6 x 4 Dog Hut	330
10 x 6 Apex Kennel & Run	785
Kennel & 6' Run	550
Kennel & 8' Run	605
Kennel & 10' Run	670
Double Kennel & 6' Run	765
Double Kennel & 8' Run	845
Double Kennel & 10' Run	970



# Summerhouses

Size	Whiston Page 16	Wickersley Page 16	Wing Cabin Page 17	Laughton Wing Cabin Page 17	Treeton Page 18	Burntwood Page 19
5 x 8	1005	840	790	1195	950	840
6 x 8	1035	890	830	1220	990	890
8 x 8	1220	1060	945	1355	1170	1060
10 x 8	1345	1185	1130	1515	1290	1180
12 x 8	1460	1305	1240	1640	1405	1305
14 x 8	1600	1440	1400	1785	1550	1440



<b>8' Gable</b>	<b>Extras</b>	2' 6 Verandah	205
		4' Verandah	340
		16" Returns	130

Size	Whiston Page 16	Wickersley Page 16	Wing Cabin Page 17	Laughton Wing Cabin Page 17	Treeton Page 18	Burntwood Page 19	Brentwood Page 15	Banwell Page 15
5 x 10	1180	1015	960	1365	1125	1015	1365	1410
6 x 10	1210	1060	1005	1400	1155	1060	1400	1460
8 x 10	1390	1235	1120	1525	1345	1235	1525	1565
10 x 10	1515	1355	1305	1690	1460	1355	1690	1735
12 x 10	1605	1475	1410	1810	1560	1475	1810	1880
14 x 10	1770	1575	1570	1960	1725	1575	1960	2030

<b>10' Gable</b>	<b>Extras</b>	2' 6 Verandah	265
		4' Verandah	375
		16" Returns	130

Size	Whiston Page 16	Wickersley Page 16	Wing Cabin Page 17	Laughton Wing Cabin Page 17	Treeton Page 18	Burntwood Page 19	Brentwood Page 15	Banwell Page 15
5 x 12	1500	1345	1290	1695	1455	1345	1695	1420
6 x 12	1540	1390	1330	1725	1485	1390	1725	1785
8 x 12	1710	1555	1440	1850	1665	1555	1850	1935
10 x 12	1840	1675	1630	2015	1780	1675	2015	2060
12 x 12	1935	1800	1750	2130	1885	1800	2135	2210
14 x 12	2100	1900	1895	2290	2050	1900	2290	2360

<b>12' Gable</b>	<b>Extras</b>	2' 6 Verandah	370
		4' Verandah	485
		16" Returns	135



<b>Catcliffe 7' Gable</b>	
Page 18	
5 x 7 Catcliffe	705
7 x 7 Catcliffe inc Verandah	790

Size	Wentworth Corner Shed Page 14	Silverwood Corner Shed Page 14	Catcliffe Corner Shed Page 14
6 x 6	865	935	900
7 x 7	970	1030	1000
8 x 8	1090	1155	1125

Size	Retreat Page 3
7x5	620
8x5	670
8x6	670
10x5	770
10x6	770
8x8	770
10x8	905
12x5	890
12x6	890
12x8	1085



# Playhouses



## Dream Playden

Page 20

5 x 10	915
6 x 10	1030

## Deluxe Playden

Page 20

6 x 8 no Verandah	790
8 x 8 inc Verandah	930
5 x 7 no Verandah	650
7 x 7 inc Verandah	790
6 x 6 no Verandah	650
8 x 6 inc Verandah	790

## Cottage

Page 21

5 x 7 no Verandah	490
7 x 7 inc Verandah	600

## Wendyhouse

Page 21

4 x 6 no Verandah	380
6 x 6 inc Verandah	485
4 x 8 no Verandah	485
6 x 8 inc Verandah	595

## Playhouse

Page 22

5 x 3 no Verandah	255
5 x 5 inc Verandah	295
4 x 6 no Verandah	320
6 x 6 inc Verandah	370
6 x 6 no Verandah	370
8 x 6 inc Verandah	435

All the above sizes are depth x width

## Base Preparation



### 3 x 3 Tanalised Bearers

Size	No. of Bearers	Price
6 x 2'6	3	13.00
5 x 2	3	13.00
5 x 3	3	13.00
4 x 4	3	15.00
6 x 4	3	18.00
6 x 5	3	20.00
7 x 5	4	23.00
6 x 6	3	23.00
8 x 6	4	26.00
10 x 5	5	26.00
10 x 6	5	30.00
12 x 6	6	36.00
8 x 8	4	30.00
10 x 8	5	36.00
12 x 8	6	44.00
14 x 8	8	44.00
16 x 8	8	60.00
18 x 8	9	68.00
20 x 8	10	75.00
22 x 8	10	75.00
24 x 8	10	75.00
10 x 10	5	47.00
12 x 10	6	57.00
14 x 10	8	77.00
16 x 10	8	77.00
18 x 10	9	87.00

### Concrete Slabbed Bases

Size	Price
4 x 4	120
6 x 4	150
6 x 5	165
7 x 5	175
6 x 6	175
8 x 6	205
10 x 6	240
12 x 6	270
5 x 8	190
6 x 8	205
8 x 8	240
10 x 8	285
12 x 8	325

Size	Price
14 x 8	350
16 x 8	375
18 x 8	450
20 x 8	490
22 x 8	525
24 x 8	570
30 x 8	685
5 x 10	210
6 x 10	240
8 x 10	285
10 x 10	340
12 x 10	390
14 x 10	435





# Optional Extras

## Doors

Stable Door	50
Additional Shed Door	85
Increased Width Door To 3'	40
Higher Shed Door By 4.5"	35
Double Doors 4'	75
Double Doors 5'	90
Fully Framed 4' Double Doors	90
Fully Framed 5' Double Doors	105
Door Drip	20
Cabin Hooks	2

## Security Options

Security Bolted Hinges	35
Security Padbolt Protector	60
2 x 2 Fully Framed Security Door	35
2 x 2 Security Double Doors 4'	105
2 x 2 Security Double Doors 5'	130

**(Please note: security double doors and security door price do not include padbolt protector or security bolted hinges)**

## Windows & Glass

Summerhouse Beading	110
Additional Fixed Window 24" x 18"	20
Security Window	25
Joinery Opening Window 24" x 18"	50
Joinery 2 Pane Window With Opener	75
Joinery 3 Pane Window With Opener	95
Leaded Glass (Per Pane)	30
Toughened Glass (Per Pane)	25
12 Pane Fixed Georgian Windows	95
12 Pane Opening Georgian Windows	130
9 Pane Fixed Georgian Windows	75
9 Pane Opening Georgian Windows	105
6 Pane Fixed Georgian Windows	60
6 Pane Opening Georgian Windows	95
Acrylic Safety Glass 24" x 18" (Per Sheet)	18
Acrylic Safety Glass 18" x 18" (Per Sheet)	15

## Removal of Existing Sheds

Up to size 8 x 6	100
Over 8 x 6	Shaws for Sheds to visit site



Whiston Summerhouse



Brentwood Summerhouse

## Various

2 X 2 Heavy Duty Framing	+17%
Log Lap Cladding	+22%
Increased Eaves Height 4.5"	+7%
Heavy Duty Floor Boards 3/4"	45% Per Sq Ft
Heavy Duty Galvanised Hinges	20
Heavy Duty Felt	45% Per Sq Ft
Window Boxes Large And Small	30
Shutters Large And Small/Pair	30
Scalloped Or Ribbed Barge Boards	30
Roll Of Felt (20m)	85
Ramp To Fit 2'6 Door	35
Ramp To Fit 3' Door	40
Ramp To Fit 4' Double Doors	50
Ramp To Fit 5' Double Doors	60
2'6 Verandah On A 6' Gable Building	155
4' verandah On A 6' Gable Building	260
2'6 Verandah On A 7' Gable Building	180
4' Verandah On A 7' Gable Building	300



# Notes



*Quality Timber Products*



## IMPORTANT INFORMATION

### BASE PREPARATION

When buying any garden building, it is necessary to construct a base for your building to be erected onto. This does not need to be elaborate as long as it is level and firm. This can be done by a concrete slabbed base (see price sheet).

When your base is level a choice of tanalised bearers (see price on page 5) which would be laid under the building in the opposite direction to the floor joist, this enables a building to be lifted off the ground so it is away from any surface water and allows air to flow underneath your building.

However, if we arrive and the base is unsuitable there will be an additional charge and we will return at a later date and erect on the level base.

When choosing a site or the size of your building, you need to ensure there is no height restrictions that can hinder the arrival of your building e.g. alleyways or arch topped gates and that the fitters can gain access to the designated area and around the building for erecting.

### AFTERCARE

All our buildings are pre-treated in a water based solution: to extend the life of your shed we recommend that you treat them again immediately after erection.

As wood is a natural product some expansion and shrinkage can occur. This is not something we can prevent. The roofing felt is made for use on sheds and summerhouses, on an occasion the felt can ripple, and is due to varying temperature changes and not an error with the material used.

To ensure all products are fulfilling customers needs, we are constantly reviewing our models and prices and reserve the right to change specifications without notice.

#### Don't forget:

- Level base required
- No height restrictions
- Access
- Are bearers required?

### PLACING AN ORDER

On ordering your building a 15% deposit would need to be made, then the outstanding balance will be paid either prior to your building being delivered and erected or on the day direct to Shaws for Sheds Limited.

All deposits are non-refundable.

### DELIVERY

When an order is placed you will be given an estimated timescale of when your delivery will take place. Shaws for Sheds will contact you beforehand to confirm a day and time. We can also remove customer's existing sheds, please enquire when placing your order.

### PRODUCT DESCRIPTION

#### Standard:

Made from 12mm x 125mm tongued and grooved shiplap on sides and ends and matchboard on floor and roof, 50mm x 32mm framing with eased edges. These also include: Polyester green mineral felt, horticultural glass, tee hinges, lock and key and environmentally friendly base preservative.

#### Heavy Duty:

Made from 12mm x 125mm tongued and grooved shiplap on the side and ends and matchboard on the floor and roof, 50mm x 50mm frame with uprights, diagonal bracing, polyester green mineral felt, horticultural glass, tee hinges, lock and key and environmentally friendly base preservative.

#### Security:

Same as standard but with frame at 12" centres, diagonal bracing, security padbolt protector, bolted hinges and 2 x 2 fully framed door.

#### Log lap:

16mm x 100mm tongue and grooved barrel board.

On any apex and pent shed the quantity of windows would vary depending on door position and door size.

All models can be supplied with no windows, for no extra charge.

AGENT

*Quality Timber Products*